商标声明：CAPAROL及彩色象纹象，属DAW SE 注册商标。
CAPAROL and striped elephant are registered trademarks of DAW SE.

www.caparol.cn

CAPAROL
德 爱 威

德爱威（中国）有限公司
CAPAROL (CHINA) LTD.

营销总部地址

江苏省昆山市花桥经济开发区光明路505号建滔广场B座25层
25F, Block B Kingboard Square, 505 Guangming Road, Huaqiao Economic Development Zone, Kunshan, Jiangsu Province, P.R. China

生产及研发中心地址

浙江杭州：杭州市建德市下涯镇钟潭路2号-8
No.2-8, Zhongtan Road, Xiaya Town, Jiande, Hangzhou, Zhejiang Province

湖南岳阳：岳阳经济技术开发区木里港大道现代产业工业园
Modern Industrial Park, Muligang Avenue, Yueyang Economic and Technological Development Zone, Yueyang, Hunan Province

广东广州：广州经济技术开发区永和经济区沧海五路2号
No.2, Cang Hai 5th Road, Yong He, Guangzhou Economic and Technological Development Zone, Guangzhou, Guangdong Province

河北唐山：唐山市丰南临港经济开发区荣盛街18号
No.18, Rongsheng Rd, Feng Nan Lin Gang Economic Development Zone, Tangshan, Hebei Province

Functional Coatings From Germany
来自德国的功能涂料

Caparol Coatings Manual
德爱威涂料产品手册

March 06 | 2020

Functional Coatings From Germany
来自德国的功能涂料

Functional Coatings From Germany
来自德国的功能涂料

CONTENTS|目录

01 About us
公司介绍

02 The origin
创始纪元

03 Production Sites worldwide
全球工厂

05 Facades
外墙涂料

27 Interior Wall Coatings
内墙涂料

33 Primers
底漆

39 Surface Treatment Products
表面处理产品



Caparol Products
Caparol 涂料产品体系

4 major categories and 15 series
To meet architectural coatings requirements
in different regions, different types and for different surfaces
4大类产品、15个系列
满足不同地域、不同形式、不同部位
建筑涂料要求

Interior & exterior wall surfaces requirements before painting.
内外墙施工基底要求

1. Flatness: check with 2M ruler and the tolerance should be within 4mm.
2. Dryness: the moisture content should be within 8% if solvent born coatings are applied or within 10% if water-based coatings applied.
3. Surface condition: the surface should be clean and dry free, namely, free from dust, debris, grease, rust, mildew, etc. Clean thoroughly and undertake surface preparations when necessary.
4. Substrate strength: the substrate surfaces should be firm and solid, no chalking ,loosing sand, hollowing, peeling off , cracks, etc.
5. Alkalinity: The PH value before application should be less than 10.
6. Construction environment: the ambient temperature should be between 5°C and 35°C and relative humidity should be less than 85% during application.

1、表面平整度：用2M靠尺检查，基层的平整度应控制在4mm以内。
2、基层干燥程度：在涂装油性涂料时底材含水率应控制在8%以内，涂装水性涂料时底材含水率应控制在10%以内。
3、基层表面要求：基层表面干洁无污染，如附着尘埃、杂物、油脂、锈迹、霉斑等。应彻底清除，然后再进行必要的基层处理。
4、基层强度：基层表面应坚实牢固，无起尘、起砂、空鼓、剥落、裂纹等现象。
5、基层碱性：涂料施工前基层检测PH值应该控制在10以内。
6、施工环境要求：施工时环境温度应在5-35度之间，空气湿度小于85%。

About Us
公司介绍

DAW SE, a chemical doctor family owned business whose origin can be traced all the way back to a plant established in 1895, is a dedicated paints, new building materials and related products supplier and developer. Since its inception, DAW SE remained the hallmark of premium paints and coatings suppliers in the world. Over the past century or more, it kept opening new grounds in the coating industry and contributed greatly to its development while adhering to its glorious German tradition of quality consciousness. As DAW SE's global group member company, Caparol (China) carries forward the glorious German tradition of quality consciousness and is committed to the development of the paints and coatings industry in China.

Technology and innovation remain DAW's core values and success elements. Among its other efforts to maintain technological advantages, DAW adopts an objective viewpoint of its market growth and keeps investing a large amount of resources in research and development. In 2005, DAW SE stablished an independently operating research center, i.e., Robert Murjahn Institute. The institute is operated by the top notch experts in the industry and can offer scientific development support and test service to the industry peers and issue authoritative test reports utilizing its state-of-art instruments in the lab. Based on German RMI, DAW established Guangzhou Technical Laboratory and Jiande R&D Center in China. Beijing R&D Center will also be put into use in 2020.

DAW is a professional architectural coating solution provider. Its product range includes not only interior, exterior walls coatings, but flooring and building anti-corrosion. Beyond the complete product range, DAW provides architectural color design and German-style construction services out of the awareness of being an overall architectural coatings solution provider. DAW set up its Architectural Color Center on basis of its own 3D-System and employed many Internet-based tools to provide customers with four-in-one color solution that combines color research and analysis on market, color development, color implementation and color management. DAW also partnered with SBG Germany to promote German-style painting practice in China.

DAW strives for overall solution of architectural coatings. Its six product categories, namely, interior wall system, exterior wall system, reflective thermal insulation coatings, floorings, building anti-corrosion, and auxiliary building materials, form solutions to all kinds of construction needs and lay foundation for DAW's position of "one company addressing all coating needs". As the creator of functional architectural coatings in the world, DAW resolved many difficult problems in the building industry with its superior product functions and these functions have become the essential conditions for a comprehensive coating solution.

As the testimonies of DAW's brand influence, premium products and services, and widespread recognition among the industry, a number of iconic engineering projects across the world, such as Bird's Nest, German BMW Museum, Kremlin Moscow, and APEC Conference Venue 2014, were contracted by DAW.

DAW SE集团是一个由化工博士家族管理的企业，其诞生于1895年，专注于涂料、新型建材及相关产品的研发，并坚持以产品质量赢取客户。秉承德国以质取胜的传统，DAW SE集团一百多年来努力不懈，不断创新，为涂装、建筑保温工业做出贡献。作为德国涂料企业DAW SE公司的全球集团成员，秉承德国以质取胜的传统，致力于中国涂料行业的新发展。

技术、创新是DAW集团的核心价值及成功元素，在确保技术优势的同时，对市场发展保持客观分析，投入大量资源在研发领域。集团于2005年成立独立运作的“Robert Murjahn Institute”，由优质科研人员主理，以先进的设备，为同业提供科技研发或检测，并出具权威性报告。基于德国RMI研究所，德爱威在国内相继成立了广州技术实验室及建德研发中心。北京研发中心也将于2020年投入使用。

德爱威是专业的建筑涂装解决方案提供商。其产品线不仅包括建筑内外墙，还包括地坪及建筑防腐。在完善的产品线之外，基于建筑涂装整体解决方案提供商的思维，德爱威还提供配套的建筑色彩以及德式施工服务。德爱威建筑色彩中心基于自有3D-System色彩体系，依托互联网工具，实现市场色彩信息调研与分析-色彩研发-色彩实现-色彩管理，四位一体的色彩解决方案系统。同时，德爱威还与德国的SBG开展合作，全面引进德式的建筑涂装工艺。

德爱威致力于提供整体的建筑涂装解决方案。内墙系统、外墙系统、反射隔热涂料、地坪系统、建筑防腐、辅助材料，六大产品系列全面覆盖各类建筑的各种需求，是德爱威“一家公司，全面涂装解决方案”的基础。作为功能型建筑涂料缔造者，德爱威卓越的产品功能全面解决了建筑中各种难题，是全面涂装解决方案所必需条件。

凭借国际品牌的影响力以及优秀的产品和服务，德爱威得到了业界的普遍认可，树立了诸如“鸟巢”、“德国宝马博物馆”、“莫斯科克里姆林宫”、“2014APEC会议会场”等一批标志性工程。

1895 – 创始纪元
The Origin

DAW SE, a chemical doctor family owned business whose origin can be traced all the way back to a plant established in 1895, is a dedicated paints, new building materials and related products supplier and developer. Since its inception, DAW SE remained the hallmark of premium paints and coatings suppliers in the world. Over the past century or more, it kept opening new grounds in the coating industry and contributed greatly to its development while adhering to its glorious German tradition of quality consciousness. Today, the fifth generation from the founding family is running the company, whose determination to carry on the tradition of winning the market by quality is never lessened.

1895，一个由化工博士家族管理的企业诞生，其专注于涂料及相关产品研发，坚持从产品质量赢取客户。秉承德国以质取胜的传统，一百多年来努力不懈，不断创新，为涂装工业做出贡献。今天由第五代接班，仍坚守原则，以质优取胜。

1885
Eduard Murjahn

1895
Robert Murjahn

1928
Dr. Robert Murjahn

1978 Dr. Klaus Murjahn
2008 Dr. Ralf Murjahn

全球工厂
Production Sites

G Germany 德国



A Austria 奥地利

Bs Belarus 白俄罗斯

Bm Beigium 比利时

B&H Bosnia and Herzegovina 波黑

C Croatia 克罗地亚

D Dubai 迪拜

Yy Yueyang, China 中国岳阳

F France 法国

I Italy 意大利

Gz Guangzhou, China 中国广州



P Poland 波兰

R Romania 罗马尼亚

Hz Hangzhou, China 中国杭州

S Sweden 瑞典

T Turkey 土耳其

F 外墙涂料 acades

Extreme climate resisting facade series 极端气候外墙系列	Crack bridging series 裂缝屏蔽系列	Texture series 厚质感系列
Low dirt pickup series 表面抗污处理系列	Weather resisting series 耐候系列	Special functions series 特殊功能系列
Reflective thermal insulation series 反射隔热系列	/	/

Extreme climate resisting facade series

极端气候外墙系列

Facades 外墙涂料

Extreme climate resisting facade series

极端气候外墙系列

CP-368 AmphiBolin　CP-368 德爱威高洁全能漆

High quality facade paint with excellent adhesion, eggshell luster.
优异粘结力的高品质级外墙涂料，蛋壳光。

Tools 施工工具：

Roller 滚筒　Paint Brush 漆刷

Properties 产品特点：

- Good hiding power with proven track record in Germany and Europe
- Good weather resisting and colour retention
- Comfortable touch
- Good alkali resistance
- 遮盖力强，经德国及欧洲长期验证的高级外墙涂料
- 良好的耐候性及保色性
- 手感舒适
- 抗碱性良好

Applications 用途：

- Exterior wall paint, also suitable for interior walls where low sheen effect required.
- Its superior performance can solve many common wall problems. AmphiBolin is a low VOC product.
- 高性能外墙产品，适用于外墙低半光涂料。
- 其良好的综合性能有效地解决许多常见的墙面问题。高洁全能漆是一种低VOC产品。

CP-385 CapaFlexi HB　CP-385 德爱威厚浆弹涂

High-build flexible exterior wall topcoat.
厚浆型弹性外墙面漆。

Tools 施工工具：

Long Nap Roller 长毛滚筒　Textured Rollers 肌理滚筒

Properties 产品特点：

- High build, achieve 200 micron dry film thickness in one application.
- Elastic, able to bridge hair cracks effectively
- Withstand cyclone rain（ASTM E-514）
- Different textures can be created by textured rollers
- 厚浆型，一次施工可达200微米干漆膜厚度
- 具有一定弹性，有效防止微细裂缝外露
- 有效抵挡旋风雨 ASTM E-514 标准
- 采用花纹滚筒可以创造出不同的效果

Applications 用途：

- New buildings or renovation of old buildings; especially suitable in coastal areas where typhoons will come, or high temperature difference areas for bridging hair cracks.
- Condo, villas, resort hotels, factory buildings, etc.
- 适合新建及旧建筑物维修，特别适合沿海有台风地区，或温差大的地方使用，用以覆盖微细裂缝。
- 适合各类高档公寓、别墅、度假酒店、工厂厂房使用。

Crack bridging series
裂缝屏蔽系列

Facades 外墙涂料
Crack bridging series
裂缝屏蔽系列

CP-382 CapaLastic　CP-382 德爱威高性能弹涂
Water-based pure acrylic with crack bridging property, high flexibility, and stain-resistant film.
水性纯丙烯酸抗裂、高弹性、耐沾污涂膜。

Properties 产品特点：

- Extremely durable and flexibility recoverable, effectively bridging hair cracks (400% elasticity in room temperature according to JG/T172-2014 Elastomeric Wall Coatings(exterior)
- Flexible even at low temperature, suitable for use in northern China with high temperature differences
- Excellent weather resisting, long lasting, wind and rain resistant, and excellent stain resistance
- Long-term flexibility d ue to non-photo-catalytic elements
- 强耐久可复原弹性，有效防止细微裂缝外露（400%常温弹性，根据JG/T172-2014）《弹性建筑涂料》（外墙）
- 低温下仍具弹性，适合在温差大的北方气候中使用
- 具有良好耐候性、耐老化、防风抗雨、耐沾污性
- 含抗光催化因子，弹性持久

Applications 用途：

- Besides using alone, CapaElastic can be a topcoat for CapaFlexi UC. It is suitable for buildings in areas with strong winds, strong rainfall along the coast, or with high temperature differences.
- 除可作为弹性外墙漆外，更特别作为德爱威弹性中涂的面漆使用。适合有强风、近沿海有强降雨发生区域及温差较大地区之各类型建筑。

Tools 施工工具：

Long Nap Roller 长毛滚筒

CP-383 CapaFlexi　CP-383 德爱威弹性涂膜
An elastic coatings formulated with UV cross-linking, modified acrylic emulsion.
紫外交联，改性水性丙烯酸乳液为基料的弹性外墙漆。

Properties 产品特点：

- High flexibility to effectively bridge fine cracks.
- Flexible at low temperature.
- Excellent weather resisting, wind and rain resistant.
- Excellent stain resistance due to UV cross linking.
- 高弹性，有效防止细微裂缝外露
- 低温弹性
- 具良好耐候性、防风抗雨
- 紫外交联耐沾污优异

Applications 用途：

- For all new building walls or old building renovation; it has an long maintenance-free period; especially suitable for high-rise building commercial buildings and schools.
- 适合新建墙面及旧建筑物翻新。免维修期长，特别适合高层建筑、商业建筑、院校建筑。

Tools 施工工具：

Roller 滚筒　Paint Brush 油刷

CP-384 CapaFlexi UC　CP-384德爱威弹性中涂
Water-based flexible acrylic undercoat.
水性丙烯酸弹性中层漆。

Properties 产品特点：

- Undercoat, able to create textured effects
- Has a certain flexibility to bridge hair cracks
- Can be used together with any Caparol elastic topcoats
- 中涂层，可塑造肌理效果
- 具有一定弹性，有效防止微细裂缝外露
- 可与德爱威弹性系列面漆配合使用

Applications 用途：

- FFor new and old buildings; can hide cracks and prevent exposure When used together Caparol elastic topcoats, it forms a high-efficient protection system for various buildings. Can be used in areas with high temperature difference and under severe weathers
- 适用于新、旧建筑，可遮盖裂缝及防止外露。配合德爱威弹性系列面漆，可作为各类建筑之高效能保护系统，并可在温差大、恶劣气候地区使用

Tools 施工工具：

Textured Rollers 肌理滚筒

Textured coatings series
厚质感系列-砂纹效果类

Facades 外墙涂料
Textured coatings series
厚质感系列砂纹效果类

CP-6304K Capaputz　CP-6304K 德系柏林
German mortar, Granular Flat Rub Type, Whole Body System.
德系砂浆，颗粒平搓型，通体系统。

Properties 产品特点：

- Excellent moisture repellent and vapor permeable performance
- Good flame retardancy and low heat transfer coefficient
- Best topcoat system to match ETICS
- Available in multiple granule sizes and effects
- 憎水透汽性良好
- 阻燃性良好，传热系数低
- 配合 ETICS 系统优选面涂搭配系统
- 多种粒径和效果

Applications 用途：

- Finish coat for ETICS insulation system
  Exterior walls of apartments, villas, resorts, schools, museums, art galleries and so on
- 用于 ETICS 外墙保温系统的饰面涂层。适合公寓、别墅、度假村、学校、博物馆、 美术馆等外墙。

Tools 施工工具：

Trowel 批刀

CP-6304MK Capaputz　CP-6304MK Capaputz 德系柏林 M
German mortar,Granular Flat Rub Type, Non-Body System.
德系砂浆，颗粒平搓型，非通体系统。

Properties 产品特点：

- Best topcoat system to match ETICS
- Available in multiple granule sizes and effects
- Can be used together with a variety of finishes
- Healthy, eco-friendly and easy to refurbish
- 配合 ETICS 系统优选面涂搭配系统
- 多种粒径和效果
- 可与多种面漆搭配
- 健康、环保、易翻新

Applications 用途：

- Finish coat for ETICS insulation system
  Exterior walls of apartments, villas, resorts, schools, museums, art galleries and so on.
- 用于 ETICS 外墙保温系统的饰面涂层。适合公寓、别墅、度假村、学校、博物馆、 美术馆等外墙。

Tools 施工工具：

Trowel 批刀

CP-661 CapaTexture　CP-661 德爱威浮雕中涂
Water-based textured undercoat for different textured pattern.
水性浮雕中层漆，赋予墙面立体美观的造型。

Properties 产品特点：

- Simple application, no sagging, texture stand good.
- Can be used to make various textured effects
- Can be used together with other Caparol exterior topcoats
- 易于施工，无流挂，立体造型美观
- 可用于喷涂各种浮雕造型
- 可与德爱威外墙面漆配合使用

Applications 用途：

- It is commonly used on facades to make various textured effects so as to obtain special and pleasing patterns.
- Suitable for resort hotels, villa communities, and various residential buildings.
- 用于在外墙表面喷涂各种浮雕造型，以获得独特美观的立体花纹造型。
- 适合度假酒店，小别墅群，各类住宅建筑。

Tools 施工工具：

Hopper Spray Gun 喷斗型喷枪

Texture series, marble effect
厚质感系列-仿石类

Facades 外墙涂料
Texture series, marble effect
厚质感系列-仿石类

CP-662 CapaMarble　CP-662 德爱威仿石主色漆
CapaMarble is the base coat for Marble pattern, which is a based water-based acrylic copolymer and weather resistant pigments, with excellent weatherability and colour retention.
德爱威仿石涂料配套产品。水性丙烯酸共聚乳液配合耐候颜料配制，良好的耐候性及保色性。

Tools 施工工具：
Roller 滚筒　Paint Brush 漆刷

Properties 产品特点：
- Available in different colours which can imitate natural marble
- Excellent weather resisting as a result of non-photo-catalytic additives
- Excellent colour retention due to inorganic pigments
- Super hiding power
- High simulation effect achieved if the whole system is applied
- 多种颜色选择，仿效自天然石材基色
- 含抗光催化助剂，良好耐候性
- 使用无机颜料，良好保色性
- 遮盖力强
- 配合整套系统使用，仿真度高

Applications 用途：
- Serving as a topcoat of CapaMarble Pattern system for various types of buildings across the country such as condos, hotels, schools, and office buildings.
- 用于全国范围内各类建筑如：高级公寓、酒店、学校、 办公大楼作为仿石外饰配套使用；

CP-664 CapaMarble Pattern　CP-664 德爱威仿石涂料主材
Water-based effect coatings imitating natural marbles, seamless effect, combined with beauty and protection.
仿天然石材效果水性艺术涂料，无缝石材装饰效果，集美观与保护性于一身。

Tools 施工工具：
Special Spray Gun 专业喷枪

Properties 产品特点：
- mitate different textured granites and marbles with high simulation effect
- Good weather resisting and protect the wall
- Inorganic pigments, high colour retention
- Anti-alkali and fungus resisting
- Water-based technology
- 仿各类不同纹理花岗岩石材，高仿真效果
- 耐候性强，对墙体起保护作用
- 无机颜料调配， 保色性高
- 抗碱防霉
- 水性技术

Applications 用途：
- Can be used on facades of condos, villas, resort hotels, theme parks, schools, art galleries and other buildings.
- 用于各类高级公寓、别墅、度假酒店、主题公园、学校、美术馆等外墙建筑。

CP-665 CapaGranite　CP-665 德爱威岩彩石
Water-based art paint imitating natural granites, seamless effect, combined with beauty and protection.
仿天然毛面石花岗岩材效果水性艺术涂料，无缝石材装饰效果，集美观与保护性于一身。

Tools 施工工具：
Special Spray Gun 专业喷枪

Properties 产品特点：
- mitate various natural granites with high simulation effect
- Good weather resisting, provide good protection on walls
- Inorganic materials, high colour retention
- Alkali and fungus resisting properties
- Water-based technology
- 仿各类天然毛面石材，高仿真效果
- 耐候性强，对墙体起保护作用
- 无机颜料调配， 存色性高
- 抗碱防霉
- 水性技术

Applications 用途：
- Can be used on facades of condos, villas, resort hotels, theme parks, schools, art galleries and other buildings.
- 用于各类高级公寓、别墅、度假酒店、主题公园、学校、美术馆等外墙建筑。

Facades 外墙涂料

Texture series, marble effect

厚质感系列-仿石类

CP-6602 CapaLime-Mid　CP-6602 德爱威仿石灰石中层漆

Natural limestone texture, smooth and tender, bringing more stereo stone effect to facade

天然石灰石纹理涂层，光滑细腻，使外立面更具石材立体效果。

Properties 产品特点:

- High simulation
- High weather resistance and long color retention
- Reduce load to building
- Coming in various effects where designers can match with different lines as they want
- 仿真度高
- 高耐候不易变色
- 减轻建筑负重
- 多种效果，设计师可以随心所欲搭配线条

Tools 施工工具:

Applications 用途:

- Exterior walls of apartments, villas, resorts, schools, museums, art galleries, etc.
- 适合公寓、别墅、度假村、学校、博物馆、美术馆等外墙。

CP-6603 CapaLime-colour　CP-6603 德爱威仿石灰石涂料

Natural limestone texture, smooth and tender, bringing more stereo stone effect to facade.

天然石灰石纹理涂层，光滑细腻，使外立面更具石材立体效果。

Properties 产品特点:

- Color dots are easy to polish and have good permeability
- Excellent weather resistance
- Color dots are highly permeable and do not float
- High simulation
- 彩点易打磨，通透性好
- 良好耐候性
- 彩点渗透性极强，不浮点
- 仿真度高

Tools 施工工具:

Applications 用途:

- Exterior walls of apartments, villas, resorts, schools, museums, art galleries, etc; available with 6603A flower shot effects and 6603B brushing effects.
- 用适合公寓、别墅、度假村、学校、博物馆、美术馆等外墙，有 6603A 拍花效果、6603B 拉丝效果供选择。

Texture series – stone paints

厚质感系列-真石类

Facades 外墙涂料

Texture series – stone paints

厚质感系列-真石类

CP-633 CapaStone　CP-633 德爱威石砾漆

A blending of natural stones particles and pure acrylic, formed a good weather resisting coatings. It is clear, exhibiting the beauty of natural stone.

以天然矿石碾碎成颗粒，配合良好耐候性的纯丙烯酸树脂配制而成，清晰度高，尽显天然石材的美观感。

Properties 产品特点：

- Economical and energy saving, a good replacement of natural stones
- Excellent weather resisting due to non-photo-catalytic emulsion
- Natural inorganic stones and excellent colour retention
- Hide surface defects
- High simulation effect
- 经济节能，取代天然石材
- 抗紫外光催化乳液，耐候性良好
- 天然无机石材，保色性优良
- 美观，遮盖表面瑕疵
- 仿真性强

Applications 用途：

- Can be used on facades of condos, villas, resort hotels, theme parks, schools, art galleries and other buildings.
- 用于各类高级公寓、别墅、度假酒店、主题公园、学校、美术馆等外墙建筑。

Tools 施工工具：

Hopper Spray Gun
漏斗型喷枪

CP-634 CapaStone(SA)　CP-634 德爱威石砾漆SA

It is composed of high grade emulsion,natural gravels and various imported additives, and under special processing technologies.

由优选乳液、天然石砾及各种进口助剂经特殊工艺制造而成。

Properties 产品特点：

- Natural gravels, high simulation effect, and real stone colours
- Water-based, non-toxic
- High weather resisting, no colour fading
- Good water resisting and vapour permeability, good crack bridging ability
- Easy to apply
- 天然石砾、高仿真度、色彩真实
- 水性无毒、绿色环保
- 耐候性强、不褪色
- 良好的防水透汽性，良好的抗开裂
- 易施工

Applications 用途：

- Interior and exterior walls of residential buildings, villas, hotels and office buildings.
- 由优选乳液、特种岩片、天然石砾及各种进口助剂经特殊工艺制造而成。

Tools 施工工具：

Hopper Spray Gun
漏斗型喷枪

P-635 CapaStone (Flake)　P-635 德爱威石砾漆（岩片）

It is composed of high grade emulsion, special flakes, natural gravels and various imported additives, and made with special processing technologies.

由优选乳液、特种岩片、天然石砾及各种进口助剂经特殊工艺制造而成。

Properties 产品特点：

- Natural gravels, special flakes, high simulation effect and real stones colours.
- Water-based, non-toxic
- High weather resisting, no colour fading
- Good water resisting and vapour permeability, excellent anti-cracking ability
- Easy to apply
- 天然石砾、特种岩片、高仿真度、色彩真实
- 水性无毒、绿色环保
- 耐候性强、不褪色
- 良好的防水透汽性，良好的抗开裂
- 易施工

Applications 用途：

- Interior and exterior walls of residential buildings, villas, hotels and office buildings.
- 适合住宅、别墅、酒店、办公楼等建筑的内外墙装饰作用。

Tools 施工工具：

Hopper Spray Gun
漏斗型喷枪

Facades 外墙涂料

Surface anti-dirt pickup series

表面抗污处理系列

CP-902 CapaGlaze　CP-902 德爱威釉面漆

Non-yellowing glaze with UV absorbing additive and excellent weather resisting.

耐黄变外墙罩光清漆，含紫外光吸收助剂，耐候性能良好。

Properties 产品特点：

- Crystal clear paint that does not influence the original colour of the wall paints
- Resistance to yellowing and has passed various weathering tests
- Fungus and algae resisting
- Resist all kinds of atmospheric pollutants and salt mist, reducing dirt pickup
- Easy cleaning
- 晶莹通透，不影响外墙原色泽
- 耐变黄，通过各种耐候试验
- 防霉、防藻
- 抵受各种大气污染物及盐雾，减少积尘及沾污
- 使外墙漆清洗更容易

Applications 用途：

- Suitable for glazing of Capastone, CapaTex and CapaMarble systems, increase durability, and minimize soil pickup.
- Adding aesthetic or gross effect to wall appearance, or can be used directly on concrete or masonry walls.
- 适合德爱威系列仿石漆、质感漆及各类哑光外墙涂料罩光,提高耐用性，减少尘土沾附。
- 使外观更美丽、高级，或直接用于混凝土、砖石上。

Tools 施工工具：

Roller
滚筒

Spray Gun
喷枪

CP-903 Caparol Nano-Clean　CP-903 德爱威纳晶洁

Long-lasting low dirt pickup exterior wall treatment solution.

长效防污外墙处理剂。

Properties 产品特点：

- Treatment for exterior walls by new technologies that keeps long lasting clean wall.
- Submicron particles fill the surface of the paint film to prevent dust accumulation
- Allow rain to be evenly distributed on the surface and dirt to be washed away by rain
- High efficient dust and stain proof to keep wall nice looking
- Modified formula, with pink color to avoid missing cover, turn transparent after drying
- 新科技外墙用处理剂，使外墙持久亮丽
- 亚微细型粒子将漆膜表面填充，防止积尘
- 使雨水均匀分布表面，而令灰尘均匀地随雨水冲走
- 高效防尘，抗污，使外墙色彩更亮丽
- 改良配方，带粉红色，避免漏刷，干后透明

Applications 用途：

- Suitable for all Caparol matt waterborne exterior wall paints (white & light colours only), recommended to apply on different types of buildings under polluted environment.
- 适合各类德爱威公司的哑光水性外墙墙面漆 (白及浅粉色)，可用于污染环境下的各类型建筑。

Tools 施工工具：

Special Spray Gun
专业喷枪

CP-9030 CapaLime-Fin　CP-9030 德爱威仿石灰石罩面清漆

Cover finish for façade requiring anti-yellowing feature, due to UV absorbing additive and excellent weather resistance of the coat.

耐黄变外墙罩光清漆，含紫外光吸收助剂，高耐候性。

Properties 产品特点：

- Crystal clear, not affecting original color of exterior wall
- Resistant to yellowing and passing all kinds of weather tests
- Anti-mildew and anti-algae; resistant to air pollutants and salt spray; reduced dust and stain accumulation
- Making exterior wall easier to clean
- 晶莹通透，不影响外墙原色泽
- 耐变黄，通过各种耐候试验
- 防霉、防藻抵受各种大气污染物及盐雾，减少积尘及沾污
- 适合德爱威仿石灰石涂料罩面

Applications 用途：

- Finish coat for Caparol Pseudo-limestone series Making appearance more beautiful and more high-end sensed
- 适合德爱威系列仿石灰石涂料罩光。使外观更美丽、高级。

Tools 施工工具：

Roller
滚筒

Paint Brush
漆刷

Weather resisting series
耐候系列

Facades 外墙涂料
Weather resisting series
耐候系列

CP-361 CapaDurable　CP-361 德爱威外墙漆
Water-based acrylic co-polymer emulsion with weather-resistant pigments, providing good weather resisting and colour retention.
水性丙烯酸共聚乳液配合耐候颜料配制，良好的耐候性及保色性。

Properties 产品特点:

- Good weather resisting
- Good colour retention
- Excellent hiding power
- Good vapour permeability
- Wide colour range
- 良好耐候性
- 良好保色性
- 遮盖力良好
- 良好的透汽性
- 多种颜色选择

Tools 施工工具:

Roller 滚筒　Paint Brush 漆刷

Applications 用途:

- For various types of buildings across China such as condos, hotels, schools, office buildings and factory buildings.
- 用于全国范围内各类建筑如：高级公寓、酒店、学校、办公大楼及工厂厂房。

CP-362 CapaCrylic　CP-362 德爱威纯丙外墙漆
100% water-based acrylic emulsion with weather-resistant pigments, UV absorption additives, excellent weather resisitng for various climate conditions.
100%水性丙烯酸乳液配合耐候颜料配制，紫外光吸收助剂，良好的耐候性及气候适应性。

Properties 产品特点:

- Excellent weather resistance, UV absorption additives
- Excellent colour retention
- Good hiding power
- Wide colour range
- Low dirt pickup property
- 良好耐候性、紫外光吸收助剂
- 良好保色性
- 遮盖力极强
- 多种颜色选择
- 优良抗污性

Tools 施工工具:

Roller 滚筒　Paint Brush 漆刷

Applications 用途:

- For various types of buildings across the country such as condos, hotels, schools, office buildings and factory buildings.
- 用于全国范围内各类建筑如：高级公寓、酒店、学校、办公大楼及工厂厂房。

CP-369 CapaTrade　CP-369 德爱威外墙工程漆
Economical grade coatings for exterior walls, with good hiding power.
适用于建筑外墙经济型涂料，高遮盖力。

Properties 产品特点:

- Reasonable good weather resisting
- Good colour retention
- Good hiding power
- Good vapour permeability
- 较好耐候性
- 良好保色性
- 遮盖力强
- 良好的透汽性

Tools 施工工具:

Roller 滚筒　Paint Brush 漆刷

Applications 用途:

- For various types of buildings across China such as condos, hotels, schools, office buildings, factory buildings.
- 用于全国范围内各类建筑如：高级公寓、酒店、学校、办公大楼、工厂厂房。

Facades 外墙涂料

Weather resisting series

耐候系列

CP-3602 CapaPrimtex　CP-3602 德爱威质感砂浆专用面漆

Special finish coat for texture mortar, tailor-made for Caparol texture mortar.

质感砂浆专用罩面漆，专为德爱威质感砂浆量身定做。

Properties 产品特点:

- Eco-friendly, low odor
- Excellent weather resistance and with ability to form a protective layer to reduce mildew invasion
- Easy to construct
- Flexible film, anti-cracking
- 生态环保，气味低
- 良好的耐候性能，能够提供防护层来减少霉菌的侵袭
- 易施工
- 柔性漆膜，抗龟裂

Tools 施工工具:

Applications 用途:

- All types of buildings across China including residences, public buildings, commercial buildings, and office buildings.
- 用于全国范围内各类建筑如：家庭住宅、公共建设、商业楼房、办公大楼等。

CP-3601 CapaFluor　CP-3601 德爱威水性氟碳外墙漆

Water-based Fluorocarbon Exterior Wall Coat.

水性氟碳外墙漆。

Properties 产品特点:

- Excellent weather resistance
- Excellent chemical and salt spray resistance
- Easy to construct
- 良好的耐候性能
- 耐化学性、耐盐雾性能良好
- 易施工

Tools 施工工具:

Applications 用途:

- All types of buildings across China including condos, hotels, schools, office buildings and factory buildings.
- 用于全国范围内各类建筑如：高级公寓、酒店、学校、办公大楼及工厂厂房。

CP-371 CapaMetalic C-F　CP-371 水性氟碳金属漆

Water-based exterior wall coat with metallic gloss effect.

有金属光泽效果的水性外墙金属漆，金色/银色。

Properties 产品特点:

- Strong metallic gloss effect
- Eco-friendly, low odor
- Excellent weather resistance and with ability to form a protective layer to reduce mildew attack
- Easy to construct
- 提供强烈的金属效果
- 生态环保，气味低
- 良好的耐候性能，能够提供防护层来防止霉菌的侵袭
- 易施工

Tools 施工工具:

Applications 用途:

- All types of buildings across China including condos, hotels, schools, office buildings and factory buildings
  Places where a variety of atmospheres such as antique effects and golden brilliance are to be created.
- 用于全国范围内各类建筑如：高级公寓、酒店、学校、办公大楼及工厂厂房。
  可营造出仿古效果及金碧辉煌等多种氛围

Special functions series

特殊功能系列

Facades 外墙涂料

Special functions series

特殊功能系列

CP-367 NEW CapaProtect 2K　CP-367 德爱威新一代2K护墙漆

Two-component water-based resin and weather-resistant pigments, providing excellent weather resisting, stain resistance and hard surface.

水性双组份聚合物树脂配合耐候颜料配制，良好的耐候性和耐污性及保色性。

Properties 产品特点：

- Excellent weather resistance
- Excellent colour retention
- Tough paint film
- Good stain resistance.
- Wide colour range
- 良好耐候性
- 良好保色性
- 坚固漆膜
- 良好耐沾污性
- 多种颜色选择

Tools 施工工具：

Applications 用途：

- For various types of buildings across China such as shopping malls, schools, flyover, factory buildings and other concrete protection.
- 用于全国范围内各类建筑如：商场、学校，高架桥，工厂厂房等混凝土保护。

Reflective thermal insulation series

反射隔热系列

Facades 外墙涂料

Reflective thermal insulation series

反射隔热系列

CP-6402 CapaCool Marble-Mid H　CP-6402 德爱威反射隔热多彩仿石弹性中层漆

Reflective insulation elastic coat made of special water-based acrylic emulsion
特种水性弹性丙烯酸乳液为基料的反射隔热弹性中涂。

Properties 产品特点：

- Excellent elasticity and crack resistance
- Better heat insulation performance when used together with reflective insulation topcoat
- Eco-friendly water-based emulsion products; no odor during construction
- Rich design effect and easy to construct
- 优良的弹性，抗开裂性
- 配合反射隔热仿石面漆使用，隔热性能更优异
- 环保型水性乳液类产品.施工无气味
- 设计效果丰富，施工简便

Tools 施工工具：

Applications 用途：

- Cement mortar plastering layer and walls made of concrete, gypsum board, fiber cement board, cement block, masonry structure, etc.
  Also suitable for old coated surfaces with good adhesion but slightly chalked
- 适用于水泥砂浆抹灰层.混凝土.石膏板.纤维水泥板.水泥砌块.砖石结构等表面。同时适用于附着力良好，表面轻度粉化的旧涂层表面。

CP-6601 CapaCool Marble Pattern　CP-6601 德爱威反射隔热多彩仿石涂料

Water-based reflective insulation colorful coat with stone effects.
仿石材效果的水性多彩反射隔热涂料。

Properties 产品特点：

- Rich colors, able to create various shapes, vivid presentation of different natural granite stone effects
- Combined with Caparol Elastic Undercoat to form an excellent insulation composite coating
- Strong adhesion to substrate, good weather resistance, and long durability; the composite coat has excellent flexibility
- Healthy, eco-friendly, non-toxic and harmless, no irritating odor during construction
- 颜色丰富，造型多样，可逼真展现各种天然花岗岩石材效果
- 与德爱威反射隔热多彩仿石弹性中层漆配合形成复合涂层具有良好的反射隔热性能
- 与基材附着力强.耐候性佳.经久耐用.弹性复合涂层柔韧性较好
- 健康环保，无毒无害，施工无刺激性气味

Tools 施工工具：

Applications 用途：

- Cover protection for cement mortar plastering layer, concrete, gypsum board, fiber cement board, cement block, masonry and other walls.
  Also suitable for decoration of external insulation systems
- 适用于水泥砂浆抹灰层.混凝土、石膏板.纤维水泥板、水泥砌块、砖石结构等墙面的涂料罩面保护。
  同时也适用于外墙外保温系统的饰面。

CP-6401 CapaCool Marble-Mid L　CP-6401 德爱威反射隔热多彩仿石中层漆

Reflective insulation exterior wall coat made of special water-based acrylic emulsion.
特种水性丙烯酸乳液为基料的反射隔热外墙中层涂料。

Properties 产品特点：

- Excellent reflective insulation performance in composite coat, economical and energy-saving
- Water-based emulsion undercoat
- Supporting Caparol Insulation Coat, this composite coating has excellent heat insulation property
- Eco-friendly and healthy
- 复合涂层具有良好的反射隔热性能，经济节能
- 水性乳液类中层产品
- 作为德爱威反射隔热多彩仿石涂料专用配套中层，复合涂层具有良好的反射隔热性能
- 环保健康

Tools 施工工具：

Applications 用途：

- Cement mortar plastering layer and walls made of concrete, gypsum board, fiber cement board, cement block, masonry structure, etc.
- 适用于水泥砂浆抹灰层、混凝土、石膏板、纤维水泥板、水泥砌块、砖石结构等表面。

Facades 外墙涂料

Reflective thermal insulation

反射隔热系列

CP-6301 CapaCool stone　CP-6301 德爱威反射隔热石砾漆

Synthetic resin emulsion coat with stone effect and reflective insulation.
石材效果的合成树脂乳液砂壁状反射隔热涂料。

Properties 产品特点：

- Excellent reflective insulation
- A replacement of natural stones, economic and energy saving
- Good early stage anti-cracking performance and flexibility; can cover fine cracks in the substrate
- Excellent weather resistance and color retention
- 良好的反射隔热性能
- 取代天然石材，经济节能
- 良好的早期抗开裂性和柔韧性，能弥盖基层细微裂纹
- 良好耐候性和保色性

Tools 施工工具：

Applications 用途：

- Cement mortar plastering layer and walls made of concrete, gypsum board, fiber cement board, cement block, masonry structure, etc.
  Also suitable for decoration of external wall insulation system.
- 适用于水泥砂浆抹灰层.混凝土.石膏板.纤维水泥板.水泥砌块.砖石结构等墙面的装饰。同时也适用于外墙外保温系统的饰面层。

CP-3603 CapaCool Wall Paint　CP-3603 德爱威反射隔热涂料

Energy-saving coat made of high-quality water-based acrylic copolymer emulsion with reflective insulation.
良好反射隔热水性丙烯酸共聚乳液为原料配制的节能涂料。

Properties 产品特点：

- Excellent reflective insulation performance: greatly reducing solar radiation absorption, saving energy, reducing energy consumption, and improving economic benefit
- Excellent weather resistance and color retention
- Excellent adhesion and stain resistance
- Excellent anti-alkali, anti-mildew and anti-moss function
- 良好的反射隔热性能：能够大大降低太阳辐射吸收，起到节约能源，降低能耗，提高经济效益的作用
- 良好的耐候性和保色性
- 高附着力，抗沾污性
- 良好的抗碱.防霉.防苔藻功能

Tools 施工工具：

Applications 用途：

- Cement mortar plastering layer and walls made of concrete, gypsum board, fiber cement board, cement block, masonry structure, etc.
- 适用于水泥砂浆抹灰层.混凝土、石膏板、纤维水泥板、水泥砌块、砖石结构等表面。

CP-3801 CapaCool Elastic　CP-3801 德爱威反射隔热弹性涂料

Premier water-based acrylic copolymer elastic emulsion, with anti-cracking, reflective insulation, and energy saving features.

精选水性丙烯酸共聚弹性乳液，抗开裂，反射隔热，建筑节能。

Properties 产品特点：

- Excellent elasticity and also ability to cover fine cracks on the wall
- Excellent reflective insulation performance: greatly reducing solar radiation absorption, saving energy, reducing energy consumption, and improving economic benefits
- Excellent weather resistance and color retention
- Easy to construct
- 良好的弹性，可覆盖墙体细微裂痕
- 良好的反射隔热性能：能够大大降低太阳辐射的吸收，起到节约能源，降低能耗，提高经济效益的作用
- 良好的耐候性和保色性
- 施工便捷

Tools 施工工具：

Applications 用途：

- Cement mortar plastering layer and walls made of concrete, gypsum board, fiber cement board, cement block, masonry structure, etc.
- 适用于水泥砂浆抹灰层、混凝土、石膏板、纤维水泥板、水泥砌块、砖石结构等表面。

内墙涂料
nterior wall coating



Functional series
功能系列

Decorative series
装饰系列

Interior wall coating 内墙涂料

Functional series

功能系列

CP-262 CapaLite (fungus resisting)

CP-262AM 德爱威精装内墙漆（特效防霉）

High quality interior wall topcoat for high end fully furnished decoration.

高品质内墙面漆，为各类室内精致装饰而配制。

Properties 产品特点：

- Wide colour range, please refer to 3D color card
- Dry paint film is easy to clean
- Good film build, smooth touching, long lasting colour
- Good hiding power
- Low odor, comply with environmental requirements
- 多种色彩选择，参阅3D色卡
- 干漆膜易清理
- 漆膜细腻饱满，颜色鲜艳持久
- 具特强遮盖力
- 无不良气味，符合环保要求

Tools 施工工具：

Applications 用途：

- Designed for interior decoration of high end apartments, commonly be used to decorate and protect the prepared interior walls of residential buildings, hotels, schools, and office buildings.
- 特为各类精装修公寓内墙装饰而配制，适合住宅、酒店、学校、办公楼等各类

CP-865 NEW CapaEpoxy CP-865 德爱威新一代环碧漆

Two-component water-based epoxy coat; suitable for indoor walls of various cement substrates.

双组份水性环氧涂料，可用于各种水泥基材的室内墙面。

Properties 产品特点：

- Two-component water-based epoxy coating with extremely low odor and excellent adhesion to cement substrate
- Excellent moisture and chemicals resistance that can withstand long-term cleaning of commercial cleaners and medical disinfectants
- Paint film does not promote mold growth, requiring no use of anti-fungal agents
- Passed FDA test and can be used for walls in food processing areas
- 双组份水性环氧涂料，气味极低，水泥基材附着力优异
- 憎水性能优异，良好的耐化学品性能，能抵受商业清洁剂，医用消毒剂长期清洗
- 涂料漆膜不助长霉菌生长，不需使用防霉剂
- 通过 FDA 测试可用于食品加工区域墙面

Tools 施工工具：

Applications 用途：

- Indoor walls of various cement substrates such as cement mortar and concrete as a two-component water-based epoxy coat.Moist environments or industrial or commercial places with high requirements on cleanliness and sterility, such as medical operating rooms, industrial plants, supermarkets, sports venues.
- 双组份水性环氧涂料，可用于室内水泥砂浆.混凝土墙壁等各种水泥基材的室内墙面。可广泛使用于潮湿环境或者对洁净度，无菌要求较高的工业或者商业场合，如用于手术室，工业厂房，超市，运动场馆等室内墙面.

CP-2604 CapaElas CP-2604 德爱威弹性内墙漆

Superior high-elastic interior wall top coat, eliminating wall cracks.

高品质高弹内墙面漆，远离墙面龟裂。

Properties 产品特点：

- Elastic and crack-resistant
- Anti-mildew and anti-bacterial
- Easy to construct
- Healthy and eco-friendly
- 弹性抗裂
- 防霉抗菌
- 易施工
- 健康、环保

Tools 施工工具：

Applications 用途：

- Specially developed for interior walls of various high-end residences; suitable for interior walls of residences, hotels, schools, office buildings and so on.
  Fine cracks on walls can be easily covered after surface-treatment with this coat
- 特为各类高档住宅内墙装饰而配制，适合住宅、酒店、学校、办公楼等各类工程经过表面处理的内墙，可覆盖细微墙体裂纹。

Interior wall coating 内墙涂料

Functional series

功能系列

CP-2605 CapaA-HCHO CP-2605 德爱威抗甲醛内墙漆

Long-lasting anti-formaldehyde effect and purified air for family health.

持久抗甲醛，净化空气环境，呵护家庭健康。

Properties 产品特点：

- Anti-formaldehyde
- High cover effect
- Easy to construct
- Healthy and eco-friendly
- 抗甲醛
- 高遮盖
- 易施工
- 健康、环保

Tools 施工工具：

Applications 用途：

- Specially developed for interior walls of various high-end residences; suitable for interior walls of residences, hotels, schools, office buildings and so on
  Building and users are equally protected after surface-treatment with this coat.
- 特为各类高档住宅内墙装饰而配制，适合住宅、酒店、学校、办公楼等各类工程经过表面处理内墙，对建筑和用户双重保护。



Decorative Series
装饰系列

Interior wall coating 内墙涂料
Decorative Series
装饰系列

CP-261 CapaClean　CP-261德爱威易洁内墙漆
High grade interior wall paint with fungus resistance.
高品质内墙防霉面漆。

Properties 产品特点：
- Dry paint film has good wet-scrubbing resistance
- Special fungus resisting formula to effectively inhibit fungus growth
- Very good hiding power
- Odorless, comply with environmental requirements
- Dense paint film to reduce soil sticking
- 干漆膜具良好抗湿擦性
- 特效防霉配方，能有效抑制霉菌生长
- 具有强遮盖力
- 无气味，符合环保要求
- 致密漆膜减少污垢附着

Applications 用途：
- It is specially formulated for luxury apartments. Suitable for prepared walls of residential buildings, hotels, schools, office buildings, etc. It can also be used in kindergartens, hospitals, and elder centres Easy to clean.
- 特为豪华公寓内墙装饰而配制，适合住宅、酒店、学校、办公楼等各类工程经过表面处理的内墙。亦可用于幼儿园、医院、老人中心，方便清洁。

Tools 施工工具：
Roller 滚筒　Paint Brush 漆刷　Airless Spray Gun 无气喷枪

CP-262 CapaLite　CP-262德爱威精装内墙漆
High quality interior wall topcoat for various high end decoration.
高品质内墙面漆，为各类室内精致装饰而配制。

Properties 产品特点：
- Wide colour range, please refer to 3D color card
- Dry paint film is easy to clean
- Good film build, smooth touching, long lasting colour
- Good hiding power
- Low odour, comply with environmental requirements
- 多种色彩选择，参阅3D色卡
- 干漆膜易清理
- 漆膜细腻饱满，颜色鲜艳持久
- 具有强遮盖力
- 无不良气味，符合环保要求

Applications 用途：
- CDesigned for interior decoration of high end apartments, commonly be used to decorate and protect the prepared interior walls of residential buildings, hotels, schools, and office buildings.
- 特为各类精装修公寓内墙装饰而配制，适合住宅、酒店、学校、办公楼等各类工程经过表面处理的内墙，作为美化及保护墙面使用。

Tools 施工工具：
Roller 滚筒　Paint Brush 漆刷　Airless Spray Gun 无气喷枪

CP-269 CapaPro　CP-269 德爱威内墙漆
Water-based interior wall topcoat especially formulated for large construction projects, value for money.
水性内墙面漆，专为大型建筑项目而配制，具优良性价比。

Properties 产品特点：
- Good hiding power
- Fast drying and easy to apply
- Low odour
- moisture stable
- 遮盖力强
- 快干，施工简易
- 低气味
- 耐轻微潮湿

Applications 用途：
- Used on interior walls and ceilings of large projects or of factories, warehouses, etc.
- 用于室内墙面及天花，特别适用于大型项目或工厂车间、仓库等建筑。

Tools 施工工具：
Roller 滚筒　Paint Brush 漆刷　Airless Spray Gun 无气喷枪

P 底漆 rimers



Exterior wall primer 外墙底漆	Interior wall primer 内墙底漆	Special function primer 特殊功能底漆

Primers 底漆产品

Exterior wall primers

外墙底漆

CP-901 CapaSol　CP-901德爱威封固底漆

Concentrated penetration sealer, specially formulated by DAW, save transportation cost.

浓缩型强渗透墙面底漆，DAW公司特有配方，节省运输成本。

Tools 施工工具：

Properties 产品特点：

- Excellent penetration property to effectively seal and fix powdery surfaces
- Concentrated in delivery, just mix with fresh water at site in right proportion
- Provide an even surface for subsequent topcoat
- Suitable for the priming of all Caparol elastic coatings
- 较强渗透力，可有效封固吸收性墙面，有效封固粉化墙面
- 浓缩型，只需在施工现场加入清水
- 有助面漆光泽更均匀
- 德爱威弹性涂料的专用底漆

Applications 用途：

- Suitable for powdery or high absorption wall surfaces, enhance adhesion. The most suitable primer for Caparol elastic coatings.
- 用于粉化旧漆膜或墙面，及吸收性表面，加强附着力. 作为德爱威弹性涂料的底漆。

CP-961 CapaSeal　CP-961德爱威抗碱底漆

Alkali-resistant primer based on acrylic emulsion for multiple purposes, with good penetration, ensuring firm adhesion of topcoats.

以丙烯酸乳液为基料的多用途抗碱底漆，附着力强，确保各类面漆粘结牢固。

Tools 施工工具：

Properties 产品特点：

- Excellent resistance to alkali and efflorescence
- Excellent adhesion
- Good vapour permeability
- Universal primer for Caparol topcoats
- 良好的抗碱性、耐盐析性
- 良好附着力
- 良好的透汽性
- 能与各类德爱威外墙涂料配合使用

Applications 用途：

- Commonly used as a primer for Caparol exterior wall coatings.
- Can be used on outdoor cement render or concrete walls, on different exterior grade putty surfaces, or directly applied on gypsum boards or GRC board.
- 能与各类德爱威外墙涂料配合使用。
- 可用于室外水泥沙浆、混凝土、各种外墙腻子，或直接刷在石膏板材，水泥纤维板上。

CP-9000 CapaLime-Pri　CP-9000 德爱威仿石灰石底漆

Penetrating wall primer.

渗透型墙面底漆。

Tools 施工工具：

Properties 产品特点：

- Effective sealing of absorptive walls or pulverized walls
- No dilution required, which can be used directly at the construction site after simple stirring
- More even finish
- 可有效封固吸收性墙面，有效封固粉化墙面
- 无需稀释，施工现场开罐搅拌即可用
- 有助面漆光泽更均匀

Applications 用途：

- Old powdered paint films or walls, or absorptive surfaces, saving the use amount of topcoat and enhancing adhesion.
- 用于粉化旧漆膜或墙面，及吸收性表面，以节省面漆及加强附着力。

Primers 底漆产品

Exterior wall primers

外墙底漆

CP-962 CapaGrund　CP-962德爱威外墙底漆

Exterior wall primer with good adhesion on different mineral surfaces, provide sound surfaces for subsequent topcoats.

外墙底漆，对各类无机墙面附着力强，确保各类面漆粘结牢固。

Tools 施工工具：

Properties 产品特点：

- Excellent resistance to alkali
- Good adhesion
- Good vapour permeability
- Recommended primer for Caparol topcoats
- 抗碱性能优异
- 附着力强
- 良好的透汽性
- 能与各类德爱威外墙涂料配合使用

Applications 用途：

- Commonly used as a primer for Caparol exterior wall coatings. Can be used on outdoor cement render or concrete walls, on different exterior grade putty
- surfaces, or directly applied on gypsum boards or GRC board.
- 能与各类德爱威外墙涂料配合使用。
- 可用于室外水泥沙浆、混凝土、各种外墙腻子，或直接刷在石膏板材，水泥纤维板上。

CP-931 CapaPrimTex　CP-931德爱威砂浆底漆

A special primer designed for priming of Caparol Textured Coatings, with outstanding adhesion. A special formula developed by DAW.

专业配套于质感砂浆、肌理等厚质型涂料的特种底漆，附着力强，DAW公司特有配方。

Tools 施工工具：

Properties 产品特点：

- Excellent adhesion
- Good vapour permeability
- provide a rough surface for Caparol Textured Coatings application more easy.
- The recommended primer for Caparol textured coatings, let the pattern more outstanding
- 良好附着力
- 良好的透汽性
- 提供粗糙表面，让德爱威质感砂浆施工更方便
- 能与各类德爱威质感砂浆、肌理涂料配合使用，让造型更美观

Applications 用途：

- Can be used on outdoor cement render or concrete walls, different types of exterior putty surfaces, or directly applied on gypsum boards or GRC.
- 可用于室外水泥沙浆、混凝土、各种腻子的墙壁，或直接刷在石膏板材，水泥纤维板上，作为质感砂浆涂料底漆。

CP-9601 CapaSeal GH　CP-9601 德爱威外墙高遮盖抗碱底漆

High cover primer for exterior walls based on acrylic emulsion: strong cover capability, a wide range of toning and saved use amount of topcoat.

以丙烯酸乳液为基料的外墙高遮盖底漆，遮盖力强，调色范围广，可节省面漆用量。

Tools 施工工具：

Properties 产品特点：

- Excellent cover power
- Strong permeability, easy construction and strong adhesion
- Excellent sealing performance and wide color range
- Can be used with all types of Caparol exterior paints
- 良好的遮盖力
- 渗透性强，易施工，附着能力强
- 封闭性良好，可调色范围广
- 能与各类德爱威外墙涂料配合使用

Applications 用途：

- Can be Applicable to cement mortar plastering and walls made of concrete, gypsum boards, fiber cement boards, cement blocks, masonry structures, etc.
- 适用于水泥砂浆抹灰层、混凝土、石膏板、纤维水泥板、水泥砌块、砖石结构等外墙墙体表面。

Primers 底漆产品

Interior wall primer

内墙底漆

CP-963 CapaPrimer　CP-963德爱威内墙底漆

Interior walls opaque primer, with good adhesion, providing sound surfaces for different Caparol topcoats.
内墙遮盖型底漆，附着力强，确保各类面漆粘结牢固。

Tools 施工工具：

Properties 产品特点：

- Excellent adhesion
- Good vapour permeability
- Good alkali resistance
- Primer for all Caparol interior wall topcoats
- Low odour, comply with environmental requirements.
- 良好附着力
- 良好的透汽性
- 抗碱性能良好
- 能与各类德爱威内墙面漆配合使用
- 无不良气味，符合环保要求

Applications 用途：

- Can be used on interior cement render or concrete walls, different types of putty , or directly applied on gypsum boards or GRC.
- 室内水泥沙浆、混凝土、各种腻子的墙壁，或直接刷在石膏板材，水泥纤维板上。



Primers 底漆产品

Special functions

特殊功能底漆

CP-401 CapaFix　CP-401德爱威耐潮底漆

Premium interior wall paint with fungus resistance.
优选内墙防霉面漆。

Tools 施工工具：

Properties 产品特点：

- Water-based, two-component, very low odour
- Efficiently seal the slightly moist concrete and create a good foundation for topcoat
- Excellent penetration property, form a protective layer on the concrete surface
- 水性、双组份、气味低
- 有效封固轻微潮湿混凝土、创造面涂良好涂刷基础
- 渗透力强、深入混凝土表层形成保护层

Applications 用途：

- CapaFix can be used as primer on walls or floor. Suitable for factories, warehouses, exhibition halls, large supermarkets, and museums that requires seamless design. Or for food factories, pharmaceutical workshop, and operating rooms that require dust-free, easy-to-clean and stain resistant surface.
- 可用于墙面或地坪底漆。适合工厂、仓库、展览场馆、大型超级商场、博物馆等需要无缝设计的环境。或各类型要求无尘、易洁不藏污的食品厂、药厂、手术室等

CP-909 Caparol Ceramic Primer　CP-909德爱威瓷片底漆

Waterborne two-component primer for glossy surface.
水性双组份，适用于光滑表面底漆。

Tools 施工工具：

Properties 产品特点：

- Two-component waterborne epoxy acrylic co-polymer
- Excellent adhesion on glass, enamel, ceramics, etc
- Excellent water immersing resistance
- UV resisting，able to be used for outdoor or indoor
- Good chemical resistance
- 双组份水性环氧丙烯共聚物
- 对玻璃、釉质、瓷片等有良好附着力
- 良好的耐水浸泡
- 具耐紫外线特性，可用于户外或室内
- 良好的抗化学性

Applications 用途：

- Directly apply on ceramic tiles for renovation, finished with Caparol wall paints, avoid to remove all ceramic tiles or apply a special tile render. And also be used to renovate indoor glass or ceramic tiles.
- 用直接于釉面砖的翻新，可作为室外用底漆配合德爱威墙面漆使用，避免拆除釉面砖或批刮特种腻子。也可作为室内玻璃或瓷片翻新。

CP-269 CapaPro　CP-269 德爱威内墙漆

Water-based interior wall topcoat especially formulated for large construction projects, value for money.
水性内墙面漆，专为大型建筑项目而配制，具优良性价比。

Tools 施工工具：

Properties 产品特点：

- Good hiding power
- Fast drying and easy to apply
- Low odour
- moisture stable
- 遮盖力强
- 快干，施工简易
- 低气味
- 耐轻微潮湿

Applications 用途：

- Used on interior walls and ceilings of large projects or of factories, warehouses, etc.
- 用于室内墙面及天花，特别适用于大型项目或工厂车间、仓库等建筑。

P 表面处理产品
re-treatment products

Exterior wall putty powder 外墙腻子	Pre-treatment products 基层处理剂	Interior wall putty powder 内墙腻子

Pre- treatment products
表面处理产品

Exterior wall putty powder

外墙腻子

CP-M340 Caparol M340 CP-M340外墙找平干粉腻子（粗）

High quality exterior wall leveling compound, coarse grade, the best choice for leveling the exterior wall surfaces.

高品质的外墙找平粗腻子，可用于外墙基层粗找平。

Tools 施工工具：

Trowel
批刀

Properties 产品特点：

- Very good adhesion on clean mineral surfaces
- Good workability, trowel to a smooth surface through simple passing.
- Good tensile and compressive strength
- Non-toxic, odourless, and environmental-friendly
- 良好粘结力，能较好的粘附于基面上
- 具有良好的和易性，通过简单的抹平即可获得平整表面
- 具有良好的强度
- 无毒、无异味、环保

Applications 用途：

- Suitable for rendering the lightweight plates (cement boards, sound insulation boards, thermal insulation foam boards)
- Suitable for crack repair on wall ((V shape groove method).
- 适合轻质板材（例如埃特板、隔音板、保温泡沫板）基面上的涂料底灰
- 适合墙体裂缝修补（V型槽工法）。

CP-M341 Caparol M341 CP-M341外墙找平干粉腻子

High quality exterior wall leveling compound, fine grade, the best choice for leveling the exterior wall surfaces.

高品质的外墙找平细腻子，可用于外墙基层细找平。

Tools 施工工具：

Trowel
批刀

Properties 产品特点：

- Good adhesion on mineral surfaces as well as for coatings
- Good water resistance and vapor permeability
- Easy to apply. Spread easily to form a smooth leveling surface by trowel
- Non-toxic, odourless, and environmental-friendly
- 良好粘结力。对基材及涂料具有良好的双向亲和力
- 具有良好的耐水性能及透汽性能，
- 施工性能好。通过简单的抹平即可获得近乎完美的平滑表面
- 无毒、无异味、环保

Applications 用途：

- Suitable for rendering the lightweight plates (Cement boards, sound insulation boards, thermal insulation foam boards)
- Suitable for crack repair on wall (V shape groove method).
- 适合轻质板材（例如埃特板、隔音板、保温泡沫板）基面上的涂料底灰。
- 适合墙体裂缝修补（V型槽工法）。

CP-M360 CapaPutty CP-M360 德爱威无机厚涂抗裂砂浆

ingle-component Inorganic Thick-coating Anti-crack mortar, for creating various shapes and stereo senses.

单组份厚涂型无机抗裂砂浆，可塑造各种造型及立体感。

Tools 施工工具：

Trowel
批刀

Properties 产品特点：

- Scrape to 3-10mm thick in one application without cracking in the future
- Generating thick stereo sense and various shapes
- Single component, easy to construct
- Healthy, odorless and eco-friendly
- 一次批刮可达 3-10mm 厚度，厚涂不开裂
- 为墙面提供厚重立体感及墙面造型
- 单组份，施工方便
- 健康、无异味、环保

Applications 用途：

- Substrate treatment of walls to enhance thick sense, suitable for buildings putting high requirements on stereo construction features
- 适合墙体装饰基层处理使用，可增强墙面厚重感，适合对建筑立体层次感要求较高的各类建筑。

Pre- treatment products
表面处理产品

Exterior wall putty powder

外墙腻子

CP-M350 Caparol M350 CP-M350外墙柔性干粉腻子（粗）

High quality exterior flexible putty powder for wall, coarse grade, the best choice for leveling as well as minimize risk of cracking.

高性能的外墙柔性粗腻子，外墙基层找平兼备抗开裂功能。

Tools 施工工具：

Trowel
批刀

Properties 产品特点：

- Excellent adhesion on mineral substrates and provide sound base for subsequent topcoat
- Good flexibility. Able to hide hair cracks of the substrate and offset damage from temperature stress
- Good waterproof performance. It can prevent free particles migrating from underneath, which will destroy the Paint film
- Non-toxic, odourless, and environmental-friendly
- 粘结力强。为涂料提供良好的基础
- 良好的柔韧性。能抵御基面的轻微裂纹，可抵消温度应力的破坏
- 良好的防水性能。能防止基材游离物渗透到饰面层，影响饰面效果
- 无毒、无异味、环保

Applications 用途：

- Suitable for rendering the lightweight plates (cement boards, GRC boards，sound insulation boards)
- Suitable for wall crack repair ((V-shape groove method).
- Especially suitable for renovation of exterior and interior wall, effectively bridging the hair cracks, ensure the performance of topcoat.
- 适合轻质板材（例如埃特板、GRC 板，隔音板）基面上的涂装底灰。
- 适合墙体裂缝修补（V型槽工法）
- 特别适合旧外内墙翻新，有效架桥裂缝，保证涂装效果。

CP-M351 Caparol M351 CP-M351外墙柔性干粉腻子（细）

High quality exterior flexible putty powder for wall, fine grade, the best choice for leveling as well as minimize risk of cracking.

高性能的外墙柔性细腻子，外墙基层找平兼备抗开裂功能。

Tools 施工工具：

Trowel
批刀

Properties 产品特点：

- Excellent adhesion on mineral substrates and provide smooth base for subsequent topcoat
- Good flexibility. Able to hide hiar cracks of the substrate and offset damage from temperature stress
- Good waterproof performance. It can prevent free particles migrating from underneath, which will destroy the paint film
- Non-toxic, odourless, and environmental-friendly
- 粘结力强。为涂料提供良好的基础
- 良好的柔韧性。能抵御基面的轻微裂纹，可抵消温度应力的破坏
- 良好的防水性能。能防止基材游离物渗透到饰面层，影响饰面效果
- 无毒、无异味、环保

Applications 用途：

- Suitable for rendering the lightweight plates (cement boards, GRC boards，sound insulation boards)
- Suitable for wall crack repair (V-shape groove method).
- Especially suitable for leveling the substrate prior to exterior walls thermal insulation project.
- 适合轻质板材（例如埃特板、GRC 板，隔音板）基面上的涂料底灰。
- 适合墙体裂缝修补（v型槽工法）。
- 特别适合外墙外保温基层涂装工程找平处理。

Pre- treatment products
表面处理产品

Substrate treatment agents

基层处理剂

CP-905 Caparol Fungicidal Solution　CP-905 德爱威去霉水

A treatment agent that effectively inhibits the growth of fungi on the wall.

有效抑制墙上霉菌生长的处理剂。

Properties 产品特点：

- Ready to use
- No water rinsing needed, apply paint directly after drying
- Kill and inhibit further fungus growth
- 即开即用
- 干透后可以刷涂料，不用过清水
- 杀灭及抑制墙面常见霉菌

Tools 施工工具：

Paint Brush
漆刷

Applications 用途：

- A special fungicidal solution designed for interior and exterior walls. Applying on the walls where fungus or mildew found before painting. Able to kill micro-organisms such as algae, mildew and fungi, so as to prevent the paint film from being affected by such substances.
- 适合内、外墙使用的特种去霉洗剂。在涂刷内、外墙涂料前使用，能有效扼杀各类污染物，如藻类、霉类、真菌类等，从而保证被涂基面不受此类物质侵害。

CP-861 Caparol Rust Converter
CP-861德爱威铁锈转化涂料

Water-based chemical rust conversion technology to partly reduce labour cost in de-rusting.

水性化学铁锈转化技术代替部分物理除锈工序。

Properties 产品特点：

- Water-based, film-forming products
- Convert rust to inert co-ordinated compound via chemical reaction
- Can accept water or solvent based topcoat
- Good adhesion after film formation, providing a good foundation for topcoats
- Provide short term weather resistance
- 水性、成膜型产品
- 通过化学反应把铁锈转变为惰性聚合物
- 可接受水性或溶剂型面涂
- 成膜后附着力好，提供良好基础予各类面漆
- 有一定耐候性能

Tools 施工工具：

Trowel
批刀

Applications 用途：

- Used on rusty surfaces where only limited osurface preparations allowed; suitable for industrial environments, remote areas or rapid de-rusting, anti-corrosion and repair work required. Not suitable for immersing environment. It reduces labor cost and time coat in de-rusting process.
- 用于只能有限表面处理的生锈表面，适合工业环境，野外作业快速除锈防腐修复工程。不适合浸泡环境。减少物理除锈的劳动力及耗时。

Pre- treatment products
表面处理产品

Interior wall putty

内墙腻子

CP-M330 CapaPutty M330 CP-M330内墙通用干粉腻子

General purpose leveling putty powder for interior, moisture stable, good strength, minimal chalking, easy for sanding.

通用型室内找平腻子，耐潮、强度高、不易粉化、易打磨施工。

Properties 产品特点：

- Good adhesion
- Good vapor permeability
- Easy to apply
- Non-toxic, odourless, and environmental-friendly
- 良好的粘结力
- 良好的透汽性能
- 施工性良好
- 无毒、无异味、环保

Applications 用途：

- Suitable for leveling of interior walls and ceilings in cement rendering of all types of buildings such as Apartments, hotels, shopping malls and offices
- 各类建筑物室内墙体、天花等水泥砂浆抹面上，作为涂料的基层找平刮腻，如：公寓、宾馆、酒店、商场、办公室等

Tools 施工工具：

Trowel
抹刀

CP-M331 CapaPutty M331 CP-M331内墙耐水干粉腻子

High quality leveling putty powder, water resistance, minimal chalking, fine grade surface, and easy to apply.

高品质强耐性的墙面找平腻子，耐水强度高、不易粉化、细腻表面、施工性能优异。

Properties 产品特点：

- Excellent adhesion and water resistance
- Good vapor permeability
- Easy to apply
- Non-toxic, odourless, and environmental-friendly
- 良好的粘结力和耐水性
- 良好的透汽性能
- 施工性好
- 无毒、无异味、环保

Applications 用途：

- Suitable for leveling of interior walls and ceilings in cement rendering of all high standard buildings such as Apartments, star hotels, up market shopping malls and high end offices
- 各类高要求的建筑物室内墙体、天花等水泥砂浆抹面上，作为涂料的基层找平刮腻，如：公寓、星级宾馆/酒店、高档商场、办公室等。

Tools 施工工具：

Trowel
抹刀

Pre- treatment products
表面处理产品

Exterior wall putty powder

外墙腻子

CP-M332 CapaPutty M332 CP-M332内墙柔性干粉腻子

High quality flexible leveling putty powder, prevent from cracking, water resistant, and easy for sanding.

高性能柔性内墙找平腻子，抗裂、耐水、易打磨施工。

Properties 产品特点：

- Good adhesion and water resistance
- Good flexibility， prevent from cracking
- Easy to apply.
- Non-toxic, odourless, and environmental-friendly
- 良好的粘结力，具防水性能。
- 良好的柔韧性，防止开裂
- 施工性好
- 无毒、无异味、环保

Tools 施工工具：

Trowel
抹刀

Applications 用途：

- Designed for renovation of interior walls where wall structure conditions are not clear, minimize and prevent cracking. Also suitable for new buildings such as apartments, star hotels, up market shopping malls, offices, for the leveling of interior walls and ceiling.
- 特别适用于室内翻新工程，墙面情况不明，可有效防止或减少开裂。也可以用于新建项目如：高档公寓、星级宾馆/酒店、高档商场、办公室等高级商业空间之室内墙体、天花的基层装饰找平。